

Have non-indigenous planktonic species been introduced via ballast waters in two North African ports (la Goulette and Bizerte, Tunisia)?

H. TRIKI ZMERLI, O. DALY YAHIA-KÉFI - 1-9 - [Abstract](#) - [rokdownload menuitem="554" downloaditem="541" direct_download="true"]PDF[/rokdownload]

Extraction and repellent activity of *Lepidoploa aurea* and *Memora nodosa* against stored grain and byproduct pests

H. A. FOUAD, L. R. D. FARONI, R. C. RIBEIRO, W. DE S. TAVARES, F. PETACCI - 11-15 - [Abstract](#)

-
[rokdownload menuitem="555" downloaditem="542" direct_download="true"]PDF[/rokdownload]

Infection of speckled shrimp *Metapenaeus monoceros* (Decapoda: Penaeidae) by the branchial parasite *Orbione bonnieri* (Epicaridea: Bopyridae)

C. PRINTRAKOON, W. PURIVIROJKUL - 17-22 - [Abstract](#) - [rokdownload menuitem="556" downloaditem="543" direct_download="true"]PDF[/rokdownload]

Survival of male and female *Cerastoderma glaucum* (Bivalvia) during aerial exposure

K. TARNOWSKA, A. VERNEY, M. WOŁOWICZ, J.-P. FERAL, A. CHENUIL - 23-28 - [Abstract](#)

-
[rokdownload menuitem="557" downloaditem="540" direct_download="true"]PDF[/rokdownload]

Spatial distribution and decay rates of coliforms in the sediments and water column of the Bizerte lagoon

I. BOUKEF, B. BÉJAOU, M. BEL HASSAN, R. MRAOUNA, P. GOT, A. HARZALLAH, M. ELBOUR - 29-36 - [Abstract](#) - [rokdownload menuitem="558" downloaditem="544" direct_download="true"]PDF[/rokdownload]

Is the fecundity type of the zygotous species *Helicolenus dactylopterus* determinate or indeterminate?

V. SEQUEIRA, A. NEVES, R. BARROS PAIVA, A. RITA VIEIRA, L. SERRANO GORDO - 37-42 - [Abstract](#) - [rokdownload menuitem="559" downloaditem="545" direct_download="true"]PDF[/rokdownload]

The invasive spotted sea hare *Aplysia dactylomela* (Mollusca: Gastropoda: Aplysiidae) – new records and spread pattern in the Mediterranean

F. CROCETTA, B. S. GALIL - 43-46 - [Abstract](#) - [rokdownload menuitem="560" downloaditem="546" direct_download="true"]PDF[/rokdownload]